

I. AMENDMENTS TO THE CLAIMS

In response to the above-referenced Office Action, please amend the application in the claims as follows (*support for the following claim amendments is found throughout the application specification*):

- 1 1. (CANCELED) ~~A portable climate control dwelling comprising:~~
2 ~~a collapsible structure defining an enclosure, the collapsible structure~~
3 ~~interchangeably transformable between a first storage configuration and a second~~
4 ~~inhabitable configuration defining a predetermined shape and further having a portion~~
5 ~~defining a resealable climate control unit receiving aperture; and~~
6 ~~a climate control unit reversibly attachable with the collapsible structure for use in~~
7 ~~its second inhabitable configuration; whereby the climate control unit conditions the air~~
8 ~~within the enclosure of the collapsible structure, such that retention of the predetermined~~
9 ~~shape of the second inhabitable configuration is independent of the climate control unit.~~
- 1 2. (CANCELED) ~~The portable climate control dwelling of claim 1, wherein the air is cooled.~~
- 1 3. (CANCELED) ~~The portable climate control dwelling of claim 1, wherein the air is heated.~~
- 1 4. (CANCELED) ~~The portable climate control dwelling of claim 1, wherein the collapsible~~
2 ~~structure defining the climate control unit receiving aperture comprises an elastic member for~~
3 ~~engaging the climate control unit to form a weather resistant barrier between the exterior and~~
4 ~~interior of the dwelling.~~
- 1 5. (CANCELED) ~~The portable climate control dwelling of claim 1, wherein the dwelling if~~
2 ~~formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton, leather,~~
3 ~~or combinations thereof.~~
- 1 6. (CANCELED) ~~The climate control dwelling of claim 5, wherein the dwelling is ballistic~~
2 ~~nylon.~~
- 1 7. (CANCELED) ~~A portable climate control unit carrier comprising a plurality of straps,~~
2 ~~configurable about the exterior of a climate control unit.~~
- 1 8. (CANCELED) ~~The portable climate control unit carrier of claim 1, wherein the dwelling if~~
2 ~~formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton, leather,~~
3 ~~or combinations thereof.~~
- 1 9. (CANCELED) ~~The portable climate control unit carrier of claim 8, wherein the dwelling is~~
2 ~~a ballistic nylon.~~

1 10. (CANCELED) A tent adapter, comprising:
2 a flange having a front and a back, at least a portion of the back affixable to a
3 tent;
4 a boot having first and second ends defining a longitudinally extending aperture
5 there between, the boot affixable at the first end perpendicularly to the flange for affixing
6 a climate control unit to a tent.

1 11. (CANCELED) The adapter of claim 10, wherein the second end of the boot has
2 an elastic edge.

1 12. (CANCELED) The adapter of claim 10, wherein the second end has a closure
2 for closing the aperture at the second end.

1 13. (CANCELED) The adapter of claim 10, wherein the adapter formed from a
2 material selected from the group consisting of polymer, vinyl, nylon, cotton, leather, or
3 combinations thereof.

1 14. (CANCELED) The adapter claim 13, wherein the adapter is a ballistic nylon.

1 15. (CANCELED) A kit comprising a collapsible structure defining an enclosure, the
2 collapsible structure interchangeably transformable between a first storage configuration and a
3 second inhabitable configuration and further having a portion defining a pliant, resealable climate
4 control unit receiving aperture, wherein said second inhabitable configuration may be established
5 and/or retained at the predetermined shape in the absence or presence of a climate control unit.

1 16. (CANCELED) The kit of claim 15, further comprising a climate control unit.

1 17. (CANCELED) The kit of claim 15, further comprising a climate control unit
2 carrier.

1 18. (CANCELED) The kit of claim 17, wherein the climate unit is an air conditioner.

1 19. (CANCELED) The kit of claim 17, wherein the climate control unit is a heater.

1 20. (CANCELED) The kit of claim 15, further comprising an adjustable stand for
2 holding a climate control unit at a predetermined distance in relation to the dwelling.

1 21. (NEW) A portable climate control dwelling comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second

4 inhabitable configuration defining a predetermined shape and further having a portion
5 defining a resealable climate control unit receiving aperture the resealable aperture
6 comprising a flange having a front and a back, at least a portion of the back affixable to
7 the collapsible structure;
8 a boot having first and second ends defining a longitudinally extending aperture
9 there between, the boot affixable at the first end perpendicularly to the flange for affixing
10 a climate control unit to the collapsible structure;
11 a climate control unit reversibly disposed at least partially within the boot for use in
12 the second inhabitable configuration of the collapsible structure;
13 a support member for supporting the climate control unit in a predetermined
14 location in relation to the collapsible structure; and
15 a restraining member securely and reversibly coupling the climate control unit to
16 the support member; whereby the climate control unit conditions the air within the
17 enclosure of the collapsible structure, such that retention of the predetermined shape of
18 the second inhabitable configuration is independent of the climate control unit.

1 22. (NEW) The portable climate control dwelling of claim 21, wherein the air is
2 cooled.

1 23. (NEW) The portable climate control dwelling of claim 21, wherein the air is
2 heated.

1 24. (NEW) The portable climate control dwelling of claim 21, wherein the collapsible
2 structure defining the climate control unit receiving aperture comprises an elastic member for
3 engaging the climate control unit to form a weather resistant barrier between the exterior and
4 interior of the dwelling.

1 25. (NEW) The portable climate control dwelling of claim 21, wherein the dwelling is
2 formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton, leather,
3 or combinations thereof.

1 26. (NEW) The climate control dwelling of claim 25, wherein the dwelling is ballistic
2 nylon.

1 27. (NEW) A portable climate control unit carrier comprising a plurality of straps,
2 configurable about the exterior of a climate control unit.

1 28. (NEW) The portable climate control unit carrier of claim 21, wherein the dwelling
2 if formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton,
3 leather, or combinations thereof.

1 29. (NEW) The portable climate control unit carrier of claim 28, wherein the dwelling
2 is a ballistic nylon.

1 30. (NEW) A tent adapter, comprising:
2 a flange having a front and a back, at least a portion of the back affixable to a
3 tent;
4 a boot having first and second ends defining a longitudinally extending aperture
5 there between, the boot affixable at the first end perpendicularly to the flange for affixing
6 a climate control unit to a tent.

1 31. (NEW) The adapter of claim 30, wherein the second end of the boot has an
2 elastic edge.

1 32. (NEW) The adapter of claim 30, wherein the second end has a closure for closing
2 the aperture at the second end.

1 33. (NEW) The adaptor of claim 30, wherein the adapter formed from a material
2 selected from the group consisting of polymer, vinyl, nylon, cotton, leather, or combinations
3 thereof.

1 34. (NEW) The adapter claim 33, wherein the adapter is a ballistic nylon.

1 35. (NEW) A kit comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second
4 inhabitable configuration and further having a portion defining a pliant, the resealable
5 aperture comprising a flange having a front and a back, at least a portion of the back
6 affixable to the collapsible structure; a boot having first and second ends defining a
7 longitudinally extending aperture there between, the boot affixable at the first end
8 perpendicularly to the flange for affixing a climate control unit to the collapsible structure;
9 a support member for supporting a climate control unit in a predetermined
10 location in relation to the collapsible structure; and
11 a restraining member securely and reversibly coupling a climate control unit to the
12 support member.

- 1 36. (NEW) The kit of claim 35, further comprising a climate control unit.
- 1 37. (NEW) The kit of claim 35, further comprising a climate control unit carrier.
- 1 38. (NEW) The kit of claim 37, wherein the climate unit is an air conditioner.
- 1 39. (NEW) The kit of claim 37, wherein the climate control unit is a heater.
- 1 40. (NEW) The kit of claim 35, further comprising an adjustable support member for
2 holding a climate control unit at a predetermined distance in relation to the dwelling.